



CP FEEDS CP 21% CALF STARTER MEDICATED

Dairy – Starter – Approx. 3 days to 3 months

For increased rate of weight gain in pasture cattle (slaughter, stocker, feeder cattle and dairy and beef replacement heifers). For control of coccidiosis caused by Eimeria bovis and Eimeria zuernii.

ACTIVE DRUG INGREDIENT

Lasalocid 90 g/ton

Guaranteed Analysis

Crude Protein	(Min)	21.0	%
Crude Fat	(Min)	6.0	%
Crude Fiber	(Max)	6.4	%
Acid Detergent Fiber	(Max)	8.2	%
Calcium(Ca)	(Min)	0.8	%
Calcium(Ca)	(Max)	0.9	%
Phosphorus(P)	(Min)	0.6	%
Salt(NaCl)	(Min)	0.6	%
Salt(NaCl)	(Max)	0.7	%
Selenium(Se)	(Min)	0.70	PPM
Vitamin A	(Min)	13,260	IU/lb
Vitamin D	(Min)	2,650	IU/lb
Vitamin E	(Min)	53	IU/lb

List of Ingredients

Corn Grain, Plant Protein Products, Processed Grain By Products, Fat, Molasses Products, Calcium Carbonate, Monocalcium Phosphate, Dicalcium Phosphate, Salt, Magnesium Oxide, Manganese Sulfate, Ferrous Sulfate, Manganous Oxide, Manganous Sulfate, Zinc Oxide, Zinc Sulfate, Calcium Iodate, Zinc Amino Acid Complex, Manganese Amino Acid Complex, Copper Amino Acid Complex, Cobalt Glucoheptonate, Sodium Selenite, Calcium Iodate, Cobalt Carbonate, Copper Chloride, Vitamin A Acetate, Vitamin D3 Supplement, Vitamin E Supplement, Grain Products, Cane Molasses, Condensed Whey, Vegetable Fat, Lecithin, Sulfuric Acid, Caramel Flavoring, Propionic Acid, Acetic Acid, Benzoic Acid(as preservative), Processed Grain By-Products, Monocalcium/Dicalcium Phosphate, Basic Copper Chloride, Vitamin A Acetate in Gelatin, Cobalt Glucoheptonate, Soybean Oil, Mold Inhibitor.

FEEDING DIRECTIONS

Day 4 through Weaning:

Feed a good quality Milk Replacer according to label directions.

Provide Cp Feeds 21% Calf Grower Bov Med. Adjust feeding management practices so that calves are eating at least 2# at weaning which will provide 90 mg. of lasalocid per day.

Weaning through 12th Week:

Feed Cp Feeds 21% Calf Grower Bov Med. continuously at a rate of 1.3# to 4.4# per head daily to provide not less than 60mg. nor more than 200mg. of lasalocid daily.

Caution:

Do not allow horses or other equines access to feed containing lasalocid as ingestion may be fatal. Safety of lasalocid in unapproved species has not been established.

WARNING: A withdrawal period has not been established for this product in pre-ruminating cattle. Do not use in calves to be processed for veal. CAUTION: The safety of Lasalocid in unapproved species has not been established.

Manufactured by:

CP Feeds

Valders, WI

50 lb (22.67 kg) or Bulk

MEDICATED

MKT CPG CP 21% CALF GROWER 38608